CE / EAC



ASIA FUJI

Suzhou Asia Fuji Elevator Co., Ltd.

Add:I-PARK,#88,DONGCHANG ROAD,SIP,SUZHOU,CHINA
P.C:215000
Tel:0086-512-67901358
Fax:0086-512-67903398
E-mail:info@asiafuji-china.com
Https://www.asiafuji-china.com www.asiafujiparts.com

It is an ordinary information publication. We keep the right of alter the product design and description at any time.
If there is any dispute out of the literal meaning of any product description, use or quality; the description and alterationof any sales contract, our company will ont bear any responsibilities there-from.
Because of the restriction of the printing technology if there is any slight difference between the actually machining color and that from this pamphlet, please take the actual material and color sample as the criterion.

ASIA FUJI

HOME

ELEVATOR SERIES



ASIA FUJI

Suzhou Asia Fuji Elevator Co., Ltd.

Company Profile

Asia Fuji is a company with nearly 3 decades history, specializing in elevators series business

Elevator series	Residence	Office Building	Hotel	Market	Hospital	Home	Public buildings	Factory
Small machine room passenger elevator	●	●	●	●	●	●	●	●
Machine roomless passenger elevator	●	●	●	●	●	●	●	
Panoramic elevator	●	●	●	●	●		●	
Home elevator						●		
Hospital elevator					●			
Freight elevator		●	●	●	●			●
Car elevator				●	●		●	
Escalator			●	●	●		●	
Moving walk					●		●	



Suzhou Asia Fuji Elevator Co., Ltd is established in the beautiful city Suzhou, we are a professional designer, manufacturer, trader, installer and maintainer of full range of elevator products, such as passenger elevator, panoramic elevator, home elevator, hospital elevator, cargo elevator, escalator and travolater.

"Asia Fuji" elevator R&D is in the charge of Asia Fuji Elevator (HK) Ltd, a strategic partner of Japan Fuji エレブーグ. As a well－known brand in the world market," Asia Fuji" elevator has enjoyed a good reputation in domestic and overseas market with its quality&price ratio. Suzhou Asia Fuji Elevator Co., Ltd has its production base in Jiangxi Province, with more than 20 years elevator production experience, high quality production line and standard management system.

As a professional elevator supplier, Suzhou Asia Fuji Elevator Co., Ltd is not only an equipment supplier. From the time of its establishment, we position ourselves at the front line of international competition; actively participate in the marketing with new vision. As to the complicated and high requirement elevator project, we innovate the idea of"elevator packaging solution supply", tailor making the high quality product to meet customers' demands. Suzhou Asia Fuji Elevator Co., Ltd persistently aims to bring superior quality elevator product, excellent service and enhance the purchasing value for customers from all round.

All-round security Configuration

Within their homes, within inches, examples of cutting-edge technology,
Bring home the extraordinary wisdom of the experience.

- Prolong mechanism of opening time
- 3D light-curtain protection system
- Over-load inspection device
- Electrically loose the brake upon any trouble
- Inching type electronic brake
- Original speed detection version
- Old-people fall-over detection (optional)
- One-key calling system
- ARD emergency automatic rescue upon power failure
- Idle home landing function
- Repeated door opening / closing function
- High precision magnetic grating transducer positioning
- Emergency lighting
- RGB lighting atmosphere lamp (optional)





Intellectual life
Considerate caring

Intellectual household system utilizes Web of Things, artificial intelligence, big data. Through Web of Things platform, it changes the traditional elevators into intellectual web elevators. Scene combines with ecological services. It provides vast users with a full set of software and hardware solution plans. It creates an intellectual family. It tailor-makes the users' happy lives.

Long-distance monitor(Optional)

It applies the advanced sensor technology to collect real-time running data. It adopts GPRS+GSM communication mode to transmit the data to monitor center. It is a comprehensive elevator supervision platform that fulfills trouble pre-warning and alarm, rescue upon trapped passenger etc.

Multiple call mode(Optional)

It can be configured with face recognition, voice call, gesture call, mobile phone app control and other diversified call modes, comprehensively considering a variety of elevator situations, freeing hands and providing convenience.

Old-people fall-over recognition alarm (optional)

If passenger falls over in elevator, passenger can not positively lets the elevator send the command, then elevator makes intellectual recognition. Later it pre-warns the housing property management unit. Elevator makes automatic home landing. It opens to wait for rescue.

Inherent Hoistway

Minimum top height

2900mm

The shallowest pit depth

225mm

It is more durable, corrosion resistant, and its overall strength is better than that of steel structure, with lower maintenance cost in the later period, and the elevator runs more smoothly.

- Compared with steel elevator, concrete hoistway elevator can reduce energy loss more.
- After conditioning the concrete structure shaft indoor measurement, make it not lower than 12~13 ℃, and reach the most comfortable environment.
- Adopt thin and thick hollow color steel plate structure and soundproof door-type light profile cavity structure, with good soundproof effect.

Sightseeing Hoistway

Luxury wide space,
the choice of atmosphere

With artistic aesthetics as the keynote
To really integrate design and function into the elevator
To meet the product needs in an all-round way,
Realize the integration of well equipment,
Whether it's delicate or luxurious,
Or modern simplicity,
Can be wonderful.

360° wide view

Free customization

Follow one's heart
Suitable for different
home decoration styles

Higher space utilization

Diversified layout
Perfect for different
architectural forms

Brighter vision

Transparent and broad vision
Discover beautiful
home scenery

Small Hoistway

Free customization

Small and light
Save valuable space for the building

Low noise

Advanced mute technology
Create a quiet home environment

Energy saving

Practice the concept of sustainable development
Inject health into the home





Aluminum alloy shaft

Characteristics of Aluminum alloy shaft

Integrated panoramic aluminum alloy frame, super-thin well frame, inner drive system, compact structure.

It has very low requirements to top floor and pit with high utilization rate of the well. It can adapt to multiple construction layout demands.



Aluminium alloy section

Optional seal material



Transparent glass

Frosted glass



Brown glass



Blue star grey glass



Rose gold



Champagne gold



White



Sliver





SFJ-H101

Ceiling: Mirror stainless steel, acrylic lighting, LED downlights

Car Wall: Hairline stainless steel, mirror-etched stainless steel,

one-piece overall control box

Handrail : None

Floor : PVC

Suggest car door: Hairline stainless steel



SFJ-H102

Ceiling: Mirror stainless steel, acrylic

Car Wall: Mirror etched stainless steel, hairline stainless steel

Handrail : None

Floor : PVC

Suggest car door: Hairline stainless steel



SFJ-H103

Ceiling: Mirror stainless steel, acrylic

Car Wall: Wood grain cosmetic steel plate, mirror stainless steel

Handrail : None

Floor : PVC

Suggest car door: Mirror stainless steel or

bronze hairline stainless steel



SFJ-H104

Ceiling: Power steel light coffee, acrylic

Car Wall: Hairline stainless steel, mirror stainless steel etching,

mirror stainless steel

Handrail : Stainless steel single tube

Floor :PVC

Suggest car door: Hairline stainless steel



SFJ-H105

Ceiling: Stainless steel frame, acrylic

Car Wall: Color stainless steel, make-up glass

Handrail : None

Floor : PVC

Suggest car door: Color stainless steel



SFJ-H106

Ceiling: Mirror stainless steel, painted steel plate,

LED downlights

Car Wall: Wood veneer, rose gold etched stainless steel

Handrail : Flat armrest

Floor : PVC

Suggest car door: Rose gold stainless steel



SFJ-H107

Ceiling: Titanium mirror stainless steel, LED light

Car Wall: Titanium hairline stainless steel, titanium mirror etched stainless steel

Handrail : None

Floor : PVC

Suggest car door: Titanium mirror stainless steel



SFJ-H108

Ceiling: Mirror stainless steel, acrylic, LED downlight

Car Wall: Wood veneer, mirror stainless steel

Handrail : None

Floor : PVC

Suggest car door: Mirror stainless steel



SFJ-H109

Ceiling: Stainless steel frame, acrylic

Car Wall: Wood veneer, mirror stainless steel

Handrail : None

Floor : PVC

Suggest car door: Mirror stainless steel



SFJ-H110

Ceiling: Rose gold mirror stainless steel, mica stone

Car Wall: Wood veneer, mirror stainless steel, hard pack

Handrail : None

Floor : PVC

Suggest car door: Rose gold stainless steel or mirror stainless steel



SFJ-H111

Ceiling: Champagne gold piano lacquer, black metal decorative frame, hidden light band, LED downlight

Car Wall: Make-up steel plate, artistic glass, hidden light band

Handrail : Hairline stainless steel

Floor : Marble

Suggest car door: Make-up steel plate



SFJ-H112

Ceiling: Art steel plate, black titanium decorative strip, LED downlight, light strip

Car Wall: Wood grid, leather art steel plate, wood art steel plate，hidden light strip

Handrail : Black armrest + light belt

Floor : PVC

Suggest car door: Art steel plate



SFJ-H113

Ceiling: Four-side metal wire-frame, acrylic lamp-band model lighting

Car Wall: Black titanium mirror etched stainless steel, champagne gold stainless steel

Handrail : None

Floor : PVC

Suggest car door: Champagne gold stainless steel



SFJ-H114

Ceiling: Titanium gold hairline stainless steel, acrylic lighting, LED downlight

Car Wall: Titanium gold hairline stainless steel, glass

Handrail : Titanium gold stainless steel

Floor : PVC

Suggest car door: Titanium gold hairline stainless steel，glass door





SFJ-H115

Ceiling: Mirror stainless steel, acrylic lighting

Car Wall: Mirror etched stainless steel, safety laminated glass

Handrail : Stainless steel single tube

Floor : PVC

Suggest car door: Glass door or hairline door



SFJ-H116

Ceiling: Black titanium hairline stainless steel,

acrylic transparent plate

Car Wall: Black titanium hairline stainless steel, glass

Handrail : None

Floor : PVC

Suggest car door: Glass door



SFJ-H117

Ceiling: Titanium gold mirror stainless steel, acrylic lighting,

LED downlight

Car Wall: Titanium gold hairline stainless steel, glass

Handrail : None

Floor : PVC

Suggest car door: Glass door



SFJ-H118

Ceiling: White matte spraying steel plate, aluminium intermetallic

frame(Champagne Gold), LED downlight

Car Wall: Aluminium alloy (Champagne Gold), glass

Handrail : None

Floor : PVC

Suggest car door: Glass door



SFJ-H119

Ceiling: Acrylic transparent plate

Car Wall: Aluminum alloy (Black), glass

Handrail : None

Floor : PVC

Suggest car door: Glass door

COP&LOP



SFJ-C2301
Standard



SFJ-C2302



SFJ-C2303



SFJ-L2301
Standard



SFJ-C2304



SFJ-C2305



LOP Series



SFJ-L2303



SFJ-L2304



SFJ-L2305



SFJ-L2306



SFJ-L2307



SFJ-L2308



SFJ-L2309

Landing Door Series



SFJ-M001

Hairline stainless steel



SFJ-M002

Glass with frame



SFJ-M003

Rose gold etched stainless steel



SFJ-M004

Champagne gold etched stainless steel



SFJ-M005

Champagne gold mirror etched stainless steel



SFJ-M006

Bronze etched stainless steel



SFJ-M007

Black titanium stainless steel glass



SFJ-M008

Black titanium hairline stainless steel, -frosted glass



Other decoration

Ceiling series



SFJ-D001

Mirror stainless steel, LED light



SFJ-D002

Mirror stainless steel, acrylic light-emitting panel



SFJ-D003

Wood frame, metal decoration strip,
hidden lamp, LED light



SFJ-D004

Wood frame, metal decoration strip, hidden lamp



SFJ-D005

Black titanium stainless steel,
light-emitting cloud-film, LED light



SFJ-D006

Wood frame, rose gold mirror stainless steel,
ceiling lamp

Handrail series



SFJ-FS001

Mirror stainless steel



SFJ-FS002

Hairline stainless steel,
champagne gold hairline stainless steel



SFJ-FS003

Hairline stainless steel flat handrail



SFJ-FS004

Solid wood+titanium gold hairline stainless steel

Floor series



SFJ-DB001



SFJ-DB002



SFJ-DB003



SFJ-DB004



SFJ-DB005



SFJ-DB006



SFJ-DB007



SFJ-DB008

Perfect function

Safety function

Fault detect & rescue

Motor overheat protection	S
Automatic fault diagnostic	S
Inverter overheat protection	S
Over current protection	S
Over load protection	S
Anti reverse protection	S
Slip protection	S
Overrun protection	S
Main circuit fault protection	S
Door block protection	S
Entrance light curtain protection	S
Safety circuit protection	S
Change landing floor	S
Automatic adjustment after power recover	S
Emergency landing rescue	O
Rescue by telephone call	O
Running times counting	S

Comfortable function

Into/go out of cabin

Door open button	S
Door close button	S
Light curtain protection	S

Misuse protection

Cancel call by double click	S
Call for the other direction	S

Comfortable ride

Illumination in cabin	S
Ventilation in cabin	S
Arrival indication	S
Optimized speed curve	S
Background music/voice announcement	O

Special function

Handicapped function (braile buttion, voice prompt)	O
Through door control	O
Selective landing floor	O
Handicapped door open protection	O

Control function

Automatic door opening	S
Adjustable door open time	S
Inspection operation	S
Test operation	S
Auto home	S
Fault memory	S
Shaft information self learning	S

Information function

Information at landing

Running direction display	S
Car position display	S
Indication of registered call	S
Fault warning	S

Information in cabin

Indication of registered call	S
Runining direction display	S
Floor number display	S
Overload warning	S
Fault warning	S

Remark: Please refer to technical documents and contact our sales person for details.

Traction villa elevator construction sketch

Shaft (Counterweight side placement)



shaft plain drawing(Single door opening)



shaft plain drawing(Through door opening)



Load(kg)	260	320	400
Rated speed(m/s)	0.4	0.4	0.4
Car size(mm)	900x1000	950x1200	1100x1200
Door-opening size(mm)	650x2000	700x2000	750x2000
Door opening mode	Center opening	Center opening	Center opening
Shaft size(mm)	1500x1300	1550x1500	1700x1500
Pit depth(mm)	400	400	400
Overhead height(mm)	3000	3000	3000

Not: Only for reference, final manufacture please follow contract.

Steel belt style villa elevator construction sketch

Hoistway elevation 1:40



Hoistway plan 1:20



Load(kg)	260	320	400
Rated speed(m/s)	0.4	0.4	0.4
Car size(mm)	900x1000	950x1200	1100x1200
Door-opening size(mm)	650x2000	700x2000	750x2000
Door opening mode	Center opening	Center opening	Center opening
Shaft size(mm)	1500x1300	1550x1500	1700x1500
Pit depth(mm)	300	300	300
Overhead height(mm)	2800	2800	2800

Not: Only for reference, final manufacture please follow contract.

After-sale Service

Professional team

Service line

Convenient service

Professional maintenance

Offering best solution

We firmly believe that superior quality is not the only factor to make a product reach a perfect level. Only with a high-standard service assurance can truly create the maximum value for our customers and customers can indeed enjoy the beyond-value service brought by this product. With the service concept of “ubiquitous service, all for customers”, we provide after-sale service guarantee for 24 hours a day, 365 days a year.

Standardization: Globally unified service standard, designed to provide you with professional services

Professionalization: Well-trained service team to provide you with a full range of service solutions

Systematization: Strict and complete service process to ensure perfect service is close to you

Personalization: Hierarchical service scheme, close to your needs, win value for you





