CE / EAC



ASIA FUJI

Suzhou Asia Fuji Elevator Co., Ltd.

Add:Block D, Suzhou Center, SIP Suzhou,China
P.C:215000
Tel:0086-512-67901358
Fax:0086-512-67903398
E-mail:info@asiafuji-china.com
Https://www.asiafuji-china.com www.asiafujiparts.com

It is an ordinary information publication. We keep the right of alter the product design and description at any time.
If there is any dispute out of the literal meaning of any product description, use or quality; the description and alterationof any sales contract, our company will ont bear any responsibilities there-from.
Because of the restriction of the printing technology if there is any slight difference between the actualy machining color and that from this pamphlet, please take the actual material and color sample as the criterion.

ASIA FUJI

ELEVATOR SOLUTION EXPERT

Suzhou Asia Fuji Elevator Co., Ltd.

Strength Witness

Intellectual super projects

Global R&D Center

Product matrix full-scene coverage

State-Level High & New Tech Enterprise

Special, Fine & New “Small Giant” Enterprise

CE European Union Product Safety Certification

EAC Custom House Union Nation Certification

It serves nearly 60 countries and regions all over the world

“The Belt and Road Initiative (BRI)” Core Markets

The Middle East High End Markets



Global
Trust & Selection

Great strength proves that China elevator brand can also stand in top tier

From the core and main market of "The Belt and Road Initiative (BRI)" to the strategic highland of the Middle East High End Market, Asia Fuji Elevator breaks through the monopoly barrier of the international brand by the technical strength. It provides global cities with the vertical traffic one-stop solutions by the leading brand strength and responsibility.





Company Profile

Asia Fuji is a company with nearly 3 decades history, specializing in elevators series business

Suzhou Asia Fuji Elevator Co., Ltd is established in the beautiful city Suzhou, we are a professional designer, manufacturer, trader, installer and maintainer of full range of elevator products, such as passenger elevator, panoramic elevator, home elevator, hospital elevator, cargo elevator, escalator and travolater.

"Asia Fuji" elevator R&D is in the charge of Asia Fuji Elevator (HK) Ltd, a strategic partner of Japan Fuji エレプーグ. As a well—known brand in the world market, "Asia Fuji" elevator has enjoyed a good reputation in domestic and overseas market with its quality&price ratio. Suzhou Asia Fuji Elevator Co., Ltd has its production base in Jiangxi Province, with more than 20 years elevator production experience, high quality production line and standard management system.

As a professional elevator supplier, Suzhou Asia Fuji Elevator Co., Ltd is not only an equipment supplier. From the time of its establishment, we position ourselves at the front line of international competition; actively participate in the marketing with new vision. As to the complicated and high requirement elevator project, we innovate the idea of"elevator packaging solution supply", tailor making the high quality product to meet customers' demands. Suzhou Asia Fuji Elevator Co., Ltd persistently aims to bring superior quality elevator product, excellent service and enhance the purchasing value for customers from all round.

Innovative technology



Multiple ladder ways



Intelligent elevator dispatching system

Energy feedback regeneration technology





Infrared light-curtain door protection



Intelligent technology
Experience different travelexperience

It keeps improving the details with
perfect and intellectual man-machine combination.
It ensures to manufacture every perfect elevator.
ASIA FUJI Elevator always pursues perfection
from production to installation

UCMP protection device





Virus-killing sterilizing system



Anti-treading traffic light



Intellectual web of things cloud guard

Small Machine Room Passenger Elevator

Effectively save space in the machine room, Stable, safe & high efficient.

High quality & outstanding appearance

Elevators play an indispensable role in today's booming construction industry. Asia Fuji Elevators are with high-quality, combines excellent performance and comfort. We're the best choice for residential, commercial, office building, commercial center, hotels and etc.



Machine room in conventional elevator



Machine room in machine room elevator

Reasonable civil construction layout

Reduce 250mm height of machine room, keep size of machine room and shaft the same, to reserve more space for the building.

40%

It reduces 40% of elevator energy consumption

50%

It saves 50% of machine room area



Machine Roomless Passenger Elevator

Save energy and reduce floor area to achieve space freedom.

Easily integrate into the building and enhance value of it

MRL structure, set controller cabinet & traction machine into the shaft, which saves the building area and makes it simple and nice. Also leaving more space for architects and developers, reducing construction cost.



Machine room in conventional elevator



Machine room in machine roomless elevator

Energy & space saving

Based on the standard of "Energy Saving", fully considering the utilization rate and cost of building space, using a compact layout and flexible design style, integrated into various buildings, becoming the best choice for modern buildings.

25%

Effectively save 25% of building area

30%

Energy-saving device save about 30% of energ



SFJ-J101



Ceiling

- Hairline stainless steel, acrylic lighting

Car wall

- Hairline stainless steel

Handrail

- None

Floor

- PVC

SFJ-J102



Ceiling	– Hairline stainless steel, acrylic lighting, LED lights
Car wall	– Hairline stainless steel, mirror-etched stainless steel
Handrail	– Flat tube stainless steel
Floor	– PVC

SFJ-J104



Ceiling	– Hairline stainless steel, acrylic lighting
Car wall	– Hairline stainless steel, mirror-etched stainless steel
Handrail	– Flat tube stainless steel
Floor	– PVC

SFJ-J105



Ceiling	– Hairline stainless steel, acrylic lighting, LED lights
Car wall	– Hairline stainless steel, mirror stainless steel
Handrail	– Single tube stainless steel
Floor	– PVC

SFJ-J109



Ceiling	– Mirror stainless steel, acrylic lighting, LED lights
Car wall	– Hairline stainless steel, mirror-etched stainless steel
Handrail	– Single tube stainless steel
Floor	– PVC

SFJ-J116



Ceiling	- Titanium mirror stainless steel, titanium mirror etched, transparent marble
Car wall	- Titanium mirror etched, titanium hairline stainless steel
Handrail	- Titanium stainless steel& wood
Floor	- PVC

SFJ-J118



Ceiling	- Champagne gold mirror stainless steel, hidden light strip, LED Lights
Car wall	- Mirror etched stainless steel, champagne gold hairline stainless steel
Handrail	- None
Floor	- PVC

SFJ-J2601



Ceiling	- Rose gold hairline stainless steel, acrylic lighting fixtures
Car wall	- Rose gold mirror etched stainless steel, rose gold hairline stainless steel
Handrail	- None
Floor	- PVC

SFJ-J2602



Ceiling	- Steel plate spray coating, champagne gold metal decorative strip, hidden light strip, LED lights
Car wall	- Champagne gold mirror stainless steel, champagne gold mirror sandblasting stainless steel, champagne gold sandblasting stainless steel
Handrail	- None
Floor	- PVC

SFJ-J2603



Ceiling	- Titanium gold hairline stainless steel, acrylic lighting fixtures
Car wall	- Black titanium mirror stainless steel
Handrail	- Mirror stainless steel round tube handrail
Floor	- PVC

SFJ-J2604



Ceiling	- Powder coated steel plate frame, acrylic
Car wall	- Mirror stainless steel etched with titanium black, harmony patterns stainless steel
Handrail	- None
Floor	- PVC

SFJ-J2605



Ceiling	- Stainless steel frame, acrylic lighting fixtures
Car wall	- Hairline stainless steel, makeup board
Handrail	- None
Floor	- PVC

SFJ-J2606



Ceiling	- Galvanized plate, mirrored stainless steel veneer, LED linear lighting
Car wall	- Powder coated steel plate, platinum crystal plate, hidden light strip, aluminum profile embedded with deep gray
Handrail	- None
Floor	- PVC

SFJ-J2607



Ceiling - Makeup steel plate, LED light strip

Car wall - Mirror stainless steel, atmosphere light, makeup steel plate, black titanium decorative strip

Handrail - Single tube stainless steel

Floor - PVC

SFJ-J2608



Ceiling - Hairline stainless steel, light strip, LED tube light

Car wall - Rose gold mirror stainless steel, rose gold hairline etched stainless steel, makeup steel plate

Handrail - None

Floor - PVC

SFJ-J2609



Ceiling - Mirror stainless steel, acrylic lighting

Car wall - Black titanium hairline stainless steel, textured cosmetic steel plate, concealed light strip

Handrail - None

Floor - PVC

SFJ-J2610



Ceiling - Dark champagne gold aluminum alloy frame, acrylic lighting

Car wall - Textured cosmetic steel plate, dark champagne gold steel plate, concealed light strip

Handrail - None

Floor - PVC

SFJ-J2611



Ceiling	– Powder coated modeling framework, powder coated steel plate lightbox
Car wall	– Galvanized steel plate, mirror stainless steel, metal profile fireproof wood veneer
Handrail	– Circle brushed stainless steel
Floor	– PVC

SFJ-J2612



Ceiling	– Powder coated steel plate frame, white mirror veneer, acrylic
Car wall	– Mirror stainless steel plated with bronze, fireproof board, hairline stainless steel plated with bronze embedded strip
Handrail	– Hairline stainless steel plated with bronze, hidden light strip
Floor	– PVC

SFJ-J2613



Ceiling	– Mirror stainless steel, acrylic lighting fixtures, LED tube lights
Car wall	– Rock board, wood grain cosmetic steel plate, mirror stainless steel, LED light strip
Handrail	– None
Floor	– PVC

SFJ-J2614



Ceiling	– Mirror stainless steel, LED light strip, LED tube light
Car wall	– Wood grain cosmetic steel plate, black titanium mirror stainless steel
Handrail	– None
Floor	– PVC

SFJ-J2615



Ceiling	- Steel plate with baked paint, light strip, LED tube light
Car wall	- Steel plate baking paint, wood grain decorative steel plate
Handrail	- Rose gold hairline stainless steel, black titanium mirror stainless steel
Floor	- PVC

SFJ-J2616



Ceiling	- Mirror stainless steel, LED light strip, LED tube light
Car wall	- Wood grain cosmetic steel plate, high precision etching, metal decorative strip, black titanium mirror stainless steel
Handrail	- Black titanium stainless steel flat handrail
Floor	- PVC

SFJ-J125



Ceiling	- Black titanium mirror water ripple, hidden light strip
Car wall	- Black titanium hairline stainless steel, black titanium mirror stainless steel, artificial marble, hidden light strip
Handrail	- None
Floor	- PVC

SFJ-J127



Ceiling	- Water ripple，acrylic lighting
Car wall	- Leather hard pack, bronze hairline stainless steel decoration strip，hidden light strip
Handrail	- None
Floor	- PVC

SFJ-J2617



Ceiling	– Aluminum alloy frame (black), light-transmitting soft film
Car wall	– Powder coated steel plate, mirror stainless steel with titanium black coating
Handrail	– Powder coated steel plate, hidden light strip
Floor	– PVC

SFJ-J2618



Ceiling	– Pull film surface light source
Car wall	– Mirror stainless steel, finished film board, aluminum profile embedded strip with deep gray
Handrail	– None
Floor	– PVC

SFJ-J2619



Ceiling	– Steel plate baking paint, acrylic, LED tube light
Car wall	– Rock slab, rose gold hairline stainless steel, LED light strip
Handrail	– None
Floor	– PVC

SFJ-J2620



Ceiling	– Mirror ceramic white coated steel plate, stainless steel rose gold inlay, lighting fixtures
Car wall	– Mirror ceramic white coated steel plate, hairline stainless steel plated with rose gold, rose gold stainless steel embedded strip
Handrail	– Hairline stainless steel plated with rose gold, hidden light strip
Floor	– PVC

SFJ-J2621



Ceiling	– Hair brown stainless steel, translucent marble slab, hidden light strip
Car wall	– Mirror stainless steel plated with black titanium, honeycomb marble, hair brown stainless steel inlay, hair brown stainless steel
Handrail	– Circle brushed stainless steel plated with bronze
Floor	– Monochrome stone

SFJ-J2622



Ceiling	– Mirror stainless steel plated with bronze, transparent film
Car wall	– Long haired stainless steel plated with bronze, mirror stainless steel plated with bronze frame, glass
Handrail	– Long haired stainless steel plated with bronze
Floor	– Mosaic stone

SFJ-J2623



Ceiling	– Steel plate baking paint, champagne gold metal decorative strip, hidden light strip, LED tube light
Car wall	– Champagne gold mirror etched stainless steel, champagne gold mirror stainless steel, hidden light strip, wood grain cosmetic steel plate
Handrail	– Embedded armrest, hidden light strip
Floor	– PVC

SFJ-J2624



Ceiling	– Bronze hairline stainless steel, bronze mirror stainless steel, LED lighting
Car wall	– Bronze mirror, bronze hairline stainless steel with leather, hidden light strip
Handrail	– Bronze stainless steel
Floor	– PVC

Panorama elevator

A perfect combination of comfort and visual beauty.
Known as a moving piece of art on a building.

Watch the city as a panoramic view

We strive to make products have a super visual beauty and become the most dazzling scenery in your entire building. Let it be a radiant, interpretation of the noble example when night falls. This series of products can be used in high-end business hotels, high-end office buildings, airports, stations and other public transportation that require sightseeing.

Variety designs



Semicircular | Square type | Diamond type | Prospect type

Variety cabin designs for your choices.
The blue line in the figure is transparent glass for sightseeing.





SFJ-G106

Upper and Lower Cover

- Painted stainless steel

Sightseeing Wall

- Tempered safety glass

Decorative Ceiling

- Champagne gold mirror stainless steel, acrylic lighting

Cabin Wall

- Champagne gold hairline stainless steel & glass

Handrail

- Champagne gold stainless steel single tube

Floor

- PVC

SFJ-G107



Upper and Lower Cover	Titanium hairline stainless steel
Sightseeing Wall	Tempered safety glass
Decorative Ceiling	Titanium mirror stainless steel, acrylic lighting, LED lights
Cabin Wall	Titanium mirror stainless steel & glass
Handrail	Titanium stainless steel single tube
Floor	PVC

SFJ-G108



Upper and Lower Cover	Black titanium hairline etched stainless steel
Sightseeing Wall	Tempered safety glass
Decorative Ceiling	Black titanium stainless steel, acrylic lighting, LED lights
Cabin Wall	Black titanium stainless steel & glass
Handrail	Black titanium hairline stainless steel three tube
Floor	PVC

SFJ-G2601



Upper and Lower Cover	Painted stainless steel
Sightseeing Wall	Tempered safety glass
Decorative Ceiling	Hairline stainless steel, acrylic lighting fixtures, LED lights
Cabin Wall	Mirror stainless steel & glass
Handrail	Mirror stainless steel single tube
Floor	PVC

SFJ-G2602



Upper and Lower Cover	Hairline stainless steel
Sightseeing Wall	Tempered safety glass
Decorative Ceiling	Mirror stainless steel, LED lights
Cabin Wall	Hairline stainless steel & glass
Handrail	Mirror stainless steel single tube
Floor	PVC

SFJ-G2603



Upper and Lower Cover	Champagne gold hairline stainless steel
Sightseeing Wall	Tempered safety glass
Decorative Ceiling	Water ripples, hidden light strips
Cabin Wall	Champagne gold hairline stainless steel & glass
Handrail	Champagne gold stainless steel flat tube
Floor	PVC

SFJ-G2604



Upper and Lower Cover	Mirror stainless steel
Sightseeing Wall	Tempered safety glass
Decorative Ceiling	Hairline stainless steel, acrylic lighting fixtures, LED lights
Cabin Wall	Hairline stainless steel & glass
Handrail	Mirror stainless steel three tube
Floor	PVC

Hospital elevator

**Focusing on human-oriented design,
attentively makes comfortable space for passengers.**

Caring your life

Hospital elevators are not only used to transport passengers, but also have special and strict requirements for the performance due to the special usage. Hospital elevators can run smoothly and comfortably. Creating a quiet, elegant space for the passengers.

Multiple door opening modes



Center opening type



Side opening type



Opposite door

There are multiple ways to open the door for you to choose from.



SFJ-Y101



Ceiling	- Hairline stainless steel, acrylic lighting decoration, LED lighting
Car wall	- Hairline stainless steel
Handrail	- Flat stainless steel
Floor	- PVC floor

SFJ-Y102



Ceiling	- Hairline stainless steel, acrylic lighting decoration, LED lighting
Car wall	- Hairline stainless steel
Handrail	- Flat stainless steel
Floor	- PVC floor



SFJ-C201

Integrated COP

Panel Material: Hairline Stainless Steel
Button: Stainless Steel
Screen: Multimedia Display

Human Machine Interface

Control box



SFJ-C101

Standard configurations

Panel Material:
Hairline Stainless Steel
Button: Stainless Steel
Screen: LCD Display

SFJ-C102

Standard configurations

Panel Material:
Hairline Stainless Steel
Button: Stainless Steel
Screen: Dot Matrix Display

Outbound call



SFJ-Z201 Boxless/Simplex

SFJ-Z202 Boxless/Duplex

SFJ-Z109 Boxless

SFJ-Z110 Boxless

Display (optional)



dot matrix display

segment code display

Monochrome LCD

Color Picture Machine

Button (optional)

Mechanical micro button



Panel material (optional)



Hairline

Mirror

Colored



SFJ-C110

Panel Material: Hairline Stainless Steel
Button: Stainless Steel
Screen: Dot Matrix Display



HUMAN MACHINE INTERFACE



SFJ-C111

Panel Material: Hairline Stainless Steel
+ Black Glass
Button: Stainless Steel,
Black Acrylic
Screen: LCD Display





SFJ-C112

Panel Material: Black Glass
Button: Touch Type
Screen: Multimedia Display







SFJ-C113

Panel Material: Tempered glass
+ stainless steel
Button: Touch button
Screen: 28.35 inch color
multimedia screen





SFJ-C114

Panel Material: Tempered glass
Button: Touch button
Screen: 8.8 inch monochrome LCD



SFJ-C114-H

Panel Material: Tempered glass
Button: Touch button
Screen: 4.3-inch true color LCD



DIRECTION LANTERN

Integrated Lantern

DC 24V/12V
Front panel repair
White/Warm White Glowing
DC 24V/12V

SFJ-L01-A

Milky White Acrylic
Stainless Steel

SFJ-L01-B

Milky White
Acrylic Mirror



OTHER CALLING METHODS





Landing door series



SFJ-T2601
Hairline stainless steel



SFJ-T2602
Spray coated steel plate



SFJ-T2603
Framed glass door



SFJ-T2604
Frameless glass door



SFJ-T2605
Hairline etched stainless steel



SFJ-T2606
Hairline etched stainless steel



SFJ-T2607
Mirror etched stainless steel



SFJ-T2608
Mirror etched stainless steel



SFJ-T2609
Titanium gold mirror etched stainless steel



SFJ-T2610
Titanium gold mirror etched stainless steel



SFJ-T2611
Rose gold hairline etched stainless steel



SFJ-T2612
Rose gold mirror etched stainless steel



SFJ-T2613
Champagne gold hairline etched stainless steel



SFJ-T2614
Champagne gold hairline etched stainless steel



SFJ-T2615
Champagne gold mirror etched stainless steel



SFJ-T2616
Champagne gold mirror etched stainless steel



SFJ-T2617
Bronze hairline etched stainless steel



SFJ-T2618
Bronze hairline etched stainless steel



SFJ-T2619
Bronze mirror etched stainless steel



SFJ-T2620
Bronze mirror etched stainless steel



SFJ-T2621
Black titanium hairline etched stainless steel



SFJ-T2622
Black titanium hairline etched stainless steel



SFJ-T2623
Black titanium hairline etched stainless steel



SFJ-T2624
Black titanium mirror etched stainless steel

Ceiling series



SFJ-DD2601



SFJ-DD2602



SFJ-DD2603



SFJ-DD2604



SFJ-DD2605



SFJ-DD2606



SFJ-DD2607



SFJ-DD2608



SFJ-DD2609



SFJ-DD2610



SFJ-DD2611



SFJ-DD2612

Handrail series



SFJ-FS2601
Mirror stainless steel



SFJ-FS2602
Hairline stainless steel



SFJ-FS2603
Champagne gold stainless steel, hairline stainless steel



SFJ-FS2604
Titanium stainless steel, round wood



SFJ-FS2605
Acrylic, concealed light strip



SFJ-FS2606
Mirror stainless steel, black titanium stainless steel



SFJ-FS2607
Titanium stainless steel, round wood



SFJ-FS2608
Titanium stainless steel



SFJ-FS2609
Acrylic, champagne gold stainless steel



SFJ-FS2610
Champagne gold stainless steel, black titanium stainless steel



SFJ-FS2611
Black titanium stainless steel



SFJ-FS2612
Titanium gold etched stainless steel



SFJ-FS2613
Champagne gold stainless steel, black titanium stainless steel



SFJ-FS2614
Artistic armrest



SFJ-FS2615
Artistic armrest



SFJ-FS2616
Artistic armrest



Floor series

PVC


SFJ-DB2601


SFJ-DB2602


SFJ-DB2603


SFJ-DB2604


SFJ-DB2605


SFJ-DB2606


SFJ-DB2607


SFJ-DB2608


SFJ-DB2609


SFJ-DB2610


SFJ-DB2611


SFJ-DB2612

Marble


SFJ-DB2613


SFJ-DB2614


SFJ-DB2615


SFJ-DB2616

Color card series


SFJ-C105
Light gray


SFJ-C102
Green


SFJ-C103
Marine blue


SFJ-C104
Blue

SFJ-C107
Cream colouied


SFJ-C106
White

Function Table

Standard Function

Function table	VVVF drive	Motor rotating speed can be precisely adjusted to get smooth speed curve in elevator start, travel and stop and gain the good comfort.
	VVVF door operator	Motor rotating speed can be precisely adjusted to get the gentler and more sensitive door machine start/stop.
	Independent running	According to the uses' needs, the elevator cannot respond to outer calling, it only responds to inner command in the car.
	Automatic pass without stop	When the car is crowded with the passengers or the load is close to preset value. The car will automatically pass the calling landing in order to keep maximum travel efficiency.
	Adjust door opening time	Door opening time is apt to the users' demands.
	Reopen with hall call	In the door shutting process, pressing the hall call button can reopen the door.
	Express door closing	When the elevator stops and opens the door, press door-shut button, the door will be closed immediately.
	Car stops and door open	The elevator decelerates and levels, the door only opens after the elevator comes to a complete stop.
	Direct parking	According to distance principle completely, the car can directly level without crawling, it greatly enhances the operation efficiency.
	Duplex control	Two sets of same model elevators can unanimously respond the calling signal through the computer dispatch, in this way, it reduces the passengers' waiting time to the greatest extent and enhances the travel efficiency as well.
	Car arrival gone	Arrival gong in the car top announces passengers the car's arrival.
	Anti-nuisance	In the light elevator load, when three more commands appear all the registered callings in the car will be canceled, in order to avoid the unnecessary parking.
	Automatic return to home	In low traffic flow, the car which has no call will return to the main floor, shut the door and keep waiting automatically.
	Command register cancel	If floor command button in the car is pressed by mistake, press same button again to cancel the registered command.
Standard function	Photocell protection	In the door open and shut period, the door protection device of infrared ray that covers the whole door height is used to probe both the passenger and objects.
	Designated stop	If the elevator cannot open the door in the destination floor out of some reason, the elevator will close the door and travel to the next designated floor.
	Overload holding stop	When the car is overload, the buzzer rings and the elevator remain at rest in the same floor.
	Anti-stall timer protection	The elevator stops operation due to slippery traction wire rope.
	Start protection control	If the elevator does not leave door zone within the designated time after it get started, it gets started, it will stop the operation.
	Inspection operation	When the elevator enters into inspection operation, the car travels at inching running.
	Fault self-diagnosis record	With the help of this record function, faults can be restored rapidly so that the elevator can remove in a short time.
	UP/down over-run and final limit protection	The device can effectively prevent from the elevator's surging to the top or knocking the bottom when it is out of control. It results in more safe and reliable elevator travel.
	Down over-speed protection	When the elevator downs 1.2 times higher than the rated speed, this device will automatically cut off control mains, the motor running so as to stop elevator down at over-speed. If the elevator continues to down at over-speed, and the speed is 1.4 times higher than rated speed, safety tongs act to force the elevator stop in order to ensure the safety.
	Upward over-speed protection device	When the elevator up speed is 1.2 times higher than rated speed, the device will automatically decelerate or brake the elevator.
Man-machine interface	Micro-touch button for car call and hall call	Novel micro-touch button is used for operation panel command button in the car and landing calling button.
	Floor and direction indicator	The car shows the elevator floor location and current travel direction.
	Floor and direction indicator in hall	The landing shows the elevator floor location and current travel direction.
Emergency function	Emergency car lighting	Emergency car lighting automatically activated once power failure.
	Inching running	When the elevator enters into emergency electric operation, the car travels at low-speed inching running.
	Five-way intercom	Communication amid car, car top, elevator machine room, well pit and rescue duty room through walkie-talkie.
	Fire emergency return	In emergency conditions, if bell button on car operation panel is continuously pressed, electric bell rings on top of the car.
	Fire emergency return	If you start emergency switch in main landing, all the callings will be canceled. The elevator directly and immediately drives to designated rescue landing and automatically opens the door.
Energy-saving function	Car ventilation, light automatic shut off	If there is no calling or command signal within the stipulated time, the car fan and lighting will be automatically closed in order to save the energy.

Optional Function

Emergency function	Leveling when power failure	In normal power failure, the chargeable battery supplies the elevator power, the elevator drives to the nearest landing.
Travel function	Group control	The group control system is used when three or more
	function	same model elevators are organized into a group to run, it can make the elevator group automatically choose the most appropriate response, avoid repeated parking, reduce the passengers' waiting time and increase the operation efficiency.
	Energy feedback device	Feeding the energy generated during the elevator running and braking back to reduce the customers' operational cost and environmental pollution.
Man-machine interface	Open the door to a flat	When the elevator floor is higher, due to the telescopic steel wire rope, passengers can cause in the process in and out of the car at a car to move up and down, leading to a flat, the system detected after this kind of situation will leave the door open with a lower speed make capsules flat layer.
	Door open time extending	Press special button in the car, the elevator door keeps open for certain period of time.
	Voice announcer	When the elevator normally arrives, voice announcer informs the passengers about the relevant information.
	Car arrival ring	Arrival gong in the car top announces passengers the car's arrival.
	Car assistant operation box	It is the large loading weight elevator or the elevator with crowded passengers so that most of the passengers can operate the car easily.
Monitor function	Intelligent calling service	Destination floor calling can be fulfilled through special intellectual input device.
	Operation box for the handicapped	It is convenient for the wheelchair passengers and those who have vision problems.
	IC card control function	All (partial) landings can only input car commands through IC card after the authorization.
	Remote monitor	The remote monitor of elevator can be fulfilled through modem and telephone. It is convenient for the makers and service units to know the travel conditions of every elevator and take corresponding measures promptly.
	Remote control	Based on remote monitor, it is capable to remote control some functions which do not affect safety of elevator's operation, such as making elevators, which are under the duplex or group control, operate independently as required.
	Camera function in the car	The camera is installed in the car to monitor the car conditions.

SMALL MACHINE ROOM-REAR PASSENGER ELEVATOR
CONSTRUCTION PARAMETER

SHAFT SECTION



PLAN OF MACHINE ROOM



SHAFT PLAN



The user's tasks

1、It makes the drawing according to the relevant lift technical standard. It needs to be checked and confirmed by the user before it becomes the lift installation proof.
2. It shall have one above 50mm step with the proper width around the holes that lead to the well in side the machine room.
3、After the installation completion, the ground decoration shall have a proper height step in the sill surface to prevent water or other impurity from entering into the well.
4、The casting object in the installation shall satisfy the relevant drawing requirements.
5、The buffer base shall be made under the directions of the installers.

Capacity		Speed	Car Size			Shaft Size		E(mm)	F(mm)	OH(mm)	P(mm)
Persons	kg	(m/s)	A(mm)Width	B(mm)Width	G(mm)Height	C(mm)Width	D(mm)Depth	Gate Width	Gate Height	Top layer altitude	Bottom depth
6	450	1.0	1100	1100	2500	1800	1800	800	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
8	630	1.0	1400	1100	2500	2000	1800	800	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
10	800	1.0	1400	1400	2500	2000	2100	800	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
		2.0								4800	1800
13	1000	1.0	1600	1500	2500	2200	2200	900	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
		2.0								4800	1800
		2.5				2300	2300			5200	2200
		3.0								5600	3200
		4.0								5800	3800
15	1150	1.0	1700	1500	2500	2300	2200	900	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
		2.0								4800	1800
		2.5				2400	2300			5200	2200
		3.0								5600	3200
		4.0								5800	3800

SMALL MACHINE ROOM-SIDE PASSENGER ELEVATOR
CONSTRUCTION PARAMETER

SHAFT SECTION



PLAN OF MACHINE ROOM



SHAFT PLAN

Capacity		Speed	Car Size			Shaft Size		E(mm) Gate Width	F(mm) Gate Height	OH(mm) Top layer altitude	P(mm) Bottom depth
Persons	kg	(m/s)	A(mm)Width	B(mm)Width	G(mm)Height	C(mm)Width	D(mm)Depth				
16	1250	1.0	1600	1700	2500	2500	2200	900	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
		2.0								4800	1800
		2.5				2600	2300			5200	2200
		3.0								5600	3200
		4.0								5800	3800
18	1350	1.0	1700	1700	2500	2600	2200	900	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
		2.0								4800	1800
		2.5				2700	2300			5200	2200
		3.0								5600	3200
		4.0								5800	3800
21	1600	1.0	1400	2400	2500	2400	3000	1000	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
		2.0								4800	1800
		2.5				2500	3100			5200	2200
		3.0								5600	3200
		4.0								5800	3800

MACHINE ROOMLESS PASSENGER ELEVATOR
CONSTRUCTION PARAMETER

SHAFT SECTION



SHAFT PLAN



THE TOP PLAN



Capacity		Speed	Car Size			Shaft Size		E(mm) Gate Width	F(mm) Gate Height	OH(mm) Top layer altitude	P(mm) Bottom depth
Persons	kg	(m/s)	A(mm)Width	B(mm)Width	G(mm)Height	C(mm)Width	D(mm)Depth				
6	450	1.0	1100	1100	2500	2000	1700	800	2100	4200	1500
8	630	1.0	1100	1400	2500	2000	1900	800	2100	4200	1500
		1.5								4300	1600
		1.75								4400	1700
10	800	1.0	1400	1400	2500	2300	1900	800	2100	4200	1500
		1.5								4300	1600
		1.75								4400	1700
13	1000	1.0	1600	1400	2500	2500	1900	900	2100	4200	1600
		1.5								4300	1800
		1.75								4400	1900

HOSPITAL ELEVATOR
CONSTRUCTION PARAMETER

SHAFT SECTION



PLAN OF MACHINE ROOM



SHAFT PLAN



Capacity		Speed	Car Size			Shaft Size		E(mm) Gate Width	F(mm) Gate Height	OH(mm) Top layer altitude	P(mm) Bottom depth
Persons	kg	(m/s)	A(mm)Width	B(mm)Width	G(mm)Height	C(mm)Width	D(mm)Depth				
13	1000	1.0	1100	2100	2500	2200	2600	900 CO	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600
21	1600	1.0	1400	2400	2500	2400	2900	1300 SO	2100	4300	1400
		1.5								4400	1500
		1.75								4500	1600

MACHINE ROOMLESS HOSPITAL ELEVATOR
CONSTRUCTION PARAMETER

SHAFT SECTION



SHAFT PLAN



THE TOP PLAN



Capacity		Speed	Car Size			Shaft Size		E(mm) Gate Width	F(mm) Gate Height	OH(mm) Top layer altitude	P(mm) Bottom depth
Persons	kg	(m/s)	A(mm)Width	B(mm)Width	G(mm)Height	C(mm)Width	D(mm)Depth				
18	1350	1.0	1400	2200	2500	2400	2800	1300 SO	2100	4800	1700
		1.5								5000	1800
		1.75								5100	1900
21	1600	1.0	1400	2400	2500	2400	2900	1300 SO	2100	4800	1700
		1.5								5000	1800
		1.75								5100	1900

PANORAMIC ELEVATOR
CONSTRUCTION PARAMETER

SHAFT SECTION



PLAN OF MACHINE ROOM



SHAFT PLAN



Capacity		Speed	Shape	Car Size			Shaft Size		E(mm) Gate Width	F(mm) Gate Height	OH(mm) Top layer altitude	P(mm) Bottom depth
Persons	kg	(m/s)		A(mm)Width	B(mm)Width	G(mm)Height	C(mm)Width	D(mm)Depth				
6	800	1.0	Hexagon Half circle	1200	1800	2500	2350	2400	800	2100	4800	1800
		1.5									4900	1900
		1.75									5000	1900
8	1000	1.0	Hexagon Half circle	1300	1900	2500	2450	2450	900	2100	4800	1800
		1.5									4900	1900
		1.75									5000	1900
10	1250	1.0	Hexagon Half circle	1300	2150	2500	2450	2700	900	2100	4800	1800
		1.5									4900	1900
		1.75									5000	1900
13	1350	1.0	Hexagon Half circle	1500	2100	2500	2650	2650	900	2100	4800	1800
		1.5									4900	1900
		1.75									5000	1900
15	1600	1.0	Hexagon Half circle	1600	2300	2500	2750	2900	900	2100	4800	1800
		1.5									4900	1900
		1.75									5000	1900

MACHINE ROOMLESS PANORAMIC ELEVATOR
CONSTRUCTION PARAMETER

SHAFT VERTICAL PLAN



SHAFT PLAN VIEW



SHAFT PLAN VIEW



SHAFT PLAN VIEW



Capacity		Speed	Car Size			Shaft Size		E(mm) Gate Width	F(mm) Gate Height	OH(mm) Top layer altitude	P(mm) Bottom depth
Persons	kg	(m/s)	A(mm)Width	B(mm)Width	G(mm)Height	C(mm)Width	D(mm)Depth				
10	800	1.0	1200	1800	2500	2250	2400	800	2100	4800	1800
		1.5								4900	1900
		1.75								5000	1900
13	1000	1.0	1300	1900	2500	2340	2500	900	2100	4800	1800
		1.5								4900	1900
		1.75								5000	1900

After-sales service

Offering best solution



We firmly believe that superior quality is not the only factor to make a product reach a perfect level. Only with a high-standard service assurance can truly create the maximum value for our customers and customers can indeed enjoy the beyond-value service brought by this product. With the service concept of "ubiquitous service, all for customers", we provide after-sale service guarantee for 24 hours a day, 365 days a year.

One-stop service flow

Early communication
STEP 1

Scheme design
STEP 2

Cost estimation
STEP 3

Processing and manufacturing
STEP 4

Installation and construction
STEP 5

Transfer
STEP 6